



Non-Asbestos Industrial Friction Materials



GATKE PHENOLIC BEARINGS *and* LAMINATES

GATKE PHENOLIC
BEARINGS & LAMINATES

Manufactured by:
SCAN-PAC MFG., INC.

N84 W13510 Leon Rd. • Menomonee Falls, WI 53051
Phone: 262.255.2525 • Fax: 262.255.2528
Email: sales@scanpac.com • website: www.scanpac.com

GATKE PHENOLIC BEARINGS *and* LAMINATES

AVAILABLE CUSTOM MADE OFFERINGS

- | | | |
|----------------------|--------------------|----------------------------------|
| o Bushings | o Plate Liners | o Horizontal Liners |
| o Spherical Bearings | o Wear Plates | o Vertical Liners |
| o Slipper Bearings | o Raw Molded Tubes | o Tread Plates & Equalizer Seats |
| o Hanger Bearings | o Finished Tubes | o Pressure Plates |

NON-ASBESTOS PHENOLIC BEARING MATERIAL

MATERIAL 112/397

HANGER BEARINGS: STYLE 216, 16B, 316, 416 HANGERS
STANDARD (FIBERGLASS ID (397), COTTON PHENOLIC OD (112))

TEMPERATURE RATED TO 250 F MAX.

COUPLING DIA.	PART NUMBER
1"	309 175 612
1-1/2"	309 175 622
2"	309 175 632
2-7/16"	309 175 642
3"	309 175 653
3-7/16"	309 175 663

MATERIAL 397

HANGER BEARINGS: STYLE 16B, 216, 316, 416 HANGERS
**SOLID FIBERGLASS CUSTOM-MADE FOR HIGH-HEAT APPLICATIONS

TEMPERATURE RATED TO 550 F MAX.

COUPLING DIA.	PART NUMBER
1"	309 175 612
1-1/2"	309 175 622
2"	309 175 632
2-7/16"	309 175 642
3"	309 175 653
3-7/16"	309 175 663

GATKE PHENOLIC BEARINGS *and* LAMINATES

NON-ASBESTOS PHENOLIC BEARING MATERIAL

MATERIAL 112/397

HANGER BEARINGS: STYLE 216, 16B, 316, 416 HANGERS
STANDARD (FIBERGLASS ID (397), COTTON PHENOLIC OD (112))

TEMPERATURE RATED TO 250 F MAX.

COUPLING DIA.	PART NUMBER
1-1/2" (2 1/4 O.D.)	311 175 511
1-1/2" (2 5/8 O.D.)	311 175 521
2"	311 175 531
2-7/16"	311 175 542
3"	311 175 552
3-7/16"	311 175 561

MATERIAL 397

HANGER BEARINGS: STYLE 19B, 219, 18B, 218, 17B, 217 HANGERS
**SOLID FIBERGLASS - CUSTOM-MADE FOR HIGH-HEAT APPLICATION

TEMPERATURE RATED TO 550 F MAX.

COUPLING DIA.	PART NUMBER
1" (2 1/4" O.D.)	311 175 511
1-1/2" (2 5/8" O.D.)	311 175 521
2"	311 175 531
2-7/16"	311 175 542
3"	311 175 552
3-7/16"	311 175 561

GATKE PHENOLIC BEARINGS *and* LAMINATES

NON-ASBESTOS PHENOLIC BEARING MATERIAL

MATERIAL 112/397

HANGER BEARINGS: STYLE 220, 226, 228 OR 2B, 26B, 28B
STANDARD (FIBERGLASS ID (397), COTTON/PHENOLIC OD (112))

TEMPERATURE RATED TO 250 F MAX.

COUPLING DIA.	PART NUMBER
1"	312 175 412
1-1/2"	312 175 422
2"	312 175 432
2-7/16"	312 175 443
3"	312 175 453
3-7/16"	312 175 462

MATERIAL 397

HANGER BEARINGS: STYLE 226, 220, 228, 2B, 26B, OR 28B
**SOLID FIBERGLASS CUSTOM-MADE, FOR HIGH-HEAT APPLICATIONS

TEMPERATURE RATED TO 550 F MAX.

COUPLING DIA.	PART NUMBER
1"	312 175 412
1-1/2"	312 175 422
2"	312 175 432
2-7/16"	312 175 443
3"	312 175 453
3-7/16"	312 175 462